

L Number	Hits	Search Text	DB	Time stamp
1	0	workstation same (configu\$5 near3 pend\$4) same server	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 13:52
2	5	(configu\$5 near3 pend\$4) same server same device	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 13:56
3	0	server near5 (configu\$5 near4 pend\$4) near5 (message or indica\$5 or signal)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 14:00
4	0	server near5 (configu\$5 near4 (pend\$4 or awaiting)) near5 (message or indica\$5 or signal)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 14:02
5	23	server near5 (request\$5 near4 (pend\$4 or awaiting)) near5 (message or indica\$5 or signal)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 14:14
6	29	server near5 (pend\$4 or awaiting) near4 (request or task) near4 (queue or fifo or buffer or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 15:32
7	2	("6754885").PN.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 15:15
8	1	((("6754885").PN.) and ((pend\$4 or awaiting) near4 (request or task))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 15:15
9	0	server near5 (messag\$4 or indica\$5 or signal\$4) near5 (pend\$4 or await\$3) near4 (request or task) near4 (node)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 15:34
10	0	server near5 (messag\$4 or indica\$5 or signal\$4) near5 (pend\$4 or await\$3) near4 (request or task) near4 (node or device or peripheral)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 15:39
11	26	server near5 (pend\$4 or await\$3) near4 (request or task) near4 (node or device or peripheral)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 15:36
12	8	server with (messag\$4 or indica\$5 or signal\$4) with (pend\$4 or await\$3) with (request or task) with (node or device or peripheral)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 15:48
13	6	server near5 (messag\$4 or indica\$5 or signal\$4) near5 (pend\$4 or await\$3) near4 (request or task) near4 (client)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 15:45
14	145	(server or host) with (messag\$4 or indica\$5 or signal\$4) with (pend\$4 or await\$3 or new or next) with (request or task) with (node or device or peripheral)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 15:50
15	26	(server or host) with (messag\$4 or indica\$5 or signal\$4) with (pend\$4 or await\$3) with (request or task) with (node or device or peripheral)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:08
16	1429	(request or task or configu\$5) near4 (messag\$4 or indica\$5 or signal\$4) near4 (pend\$4 or await\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:41
17	688	((request or task or configu\$5) near4 (messag\$4 or indica\$5 or signal\$4) near4 (pend\$4 or await\$3) ) and ((request or task or configu\$5) near3 (fifo or queue or buffer or list))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:31

18	469	((request or task or configu\$5) near4 (messag\$4 or indica\$5 or signal\$4) near4 (pend\$4 or await\$3) ) and ((request or task or configu\$5) near3 (fifo or queue or buffer or list))) and network	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:31
19	89	((((request or task or configu\$5) near4 (messag\$4 or indica\$5 or signal\$4) near4 (pend\$4 or await\$3) ) and ((request or task or configu\$5) near3 (fifo or queue or buffer or list))) and network) and workstation	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:32
20	73	(((((request or task or configu\$5) near4 (messag\$4 or indica\$5 or signal\$4) near4 (pend\$4 or await\$3) ) and ((request or task or configu\$5) near3 (fifo or queue or buffer or list))) and network) and workstation ) and server	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:32
21	862	(pend\$4) near3 (request or task or configu\$5) near3 (messag\$4 or indica\$5 or signal\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:42
22	853	(pend\$4) near3 (request or task) near3 (messag\$4 or indica\$5 or signal\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:43
23	66	(send\$4 or transmit\$4 or transfer\$4) near3 (pend\$4) near3 (request or task) near3 (messag\$4 or indica\$5 or signal\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:43
24	13	((send\$4 or transmit\$4 or transfer\$4) near3 (pend\$4) near3 (request or task) near3 (messag\$4 or indica\$5 or signal\$4) ) and server and network	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:48
25	17	((send\$4 or transmit\$4 or transfer\$4) near3 (pend\$4) near3 (request or task) near3 (messag\$4 or indica\$5 or signal\$4) ) and server	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:48
30	161	(http near3 get) and (http near3 post)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:59
31	52	((http near3 get) and (http near3 post)) and (pending)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:59
-	73	workstation same (configu\$5 near3 server) same device	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 13:52
-	20	(workstation same (configu\$5 near3 server) same device) and (configu\$6 near2 data)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:41
-	246	(device or peripheral or node) near5 (request\$4 or demand\$4) near5 (configur\$7 near2 (data or information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:50
-	12	((device or peripheral or node) near5 (request\$4 or demand\$4) near5 (configur\$7 near2 (data or information))) and (server near4 (transmit\$4 or send\$4 or transfer\$4) near4 ((configur\$7 near2 (data or information))))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:22
-	4194	configur\$7 with remote with (node or device or peripheral or element)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:53

-	82	(configur\$7 with remote with (node or device or peripheral or element)) and ((node or device or peripheral or element) near5 (request\$4 or command\$4 or demand\$4) near5 (configur\$7 near2 (data or information)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:51
-	60942	remot\$4 with (control\$4) with (node or device or peripheral or element)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 15:24
-	641	(remot\$4 with (control\$4) with (node or device or peripheral or element)) and (server with (control near3 (command or data or information)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 15:01
-	289	((remot\$4 with (control\$4) with (node or device or peripheral or element)) and (server with (control near3 (command or data or information)))) and (workstation or host)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:57
-	13	((remot\$4 with (control\$4) with (node or device or peripheral or element)) and (server with (control near3 (command or data or information)))) and (http near2 (get or post))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:58
-	171	((remot\$4 with (control\$4) with (node or device or peripheral or element)) and (server with (control near3 (command or data or information)))) and (workstation)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 14:51
-	16	((remot\$4 with (control\$4) with (node or device or peripheral or element)) and (server with (control near3 (command or data or information)))) and (heartbeat or (heart near beat))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 15:25
-	3084	(workstation or host) and server and (sensor or actuator)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 15:24
-	2282	((workstation or host) and server and (sensor or actuator)) and ((configu\$7 or control\$4 or task or command) near2 (data or information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 15:23
-	949	((workstation or host) and server and (sensor or actuator)) and ((configu\$7 or control\$4 or task or command) near2 (data or information)) and (remot\$4 with (control\$4 or operation))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 15:25
-	790	((workstation or host) and server and (sensor or actuator)) and ((configu\$7 or control\$4 or task or command) near2 (data or information)) and (heartbeat or (heart near beat) or alive or live)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 15:25
-	405	((workstation or host) and server and (sensor or actuator)) and ((configu\$7 or control\$4 or task or command) near2 (data or information)) and (remot\$4 with (control\$4 or operation)) ) and (((workstation or host) and server and (sensor or actuator)) and ((configu\$7 or control\$4 or task or command) near2 (data or information)) and (heartbeat or (heart near beat) or alive or live))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:12
-	30	((workstation or host) and server and (sensor or actuator)) and ((configu\$7 or control\$4 or task or command) near2 (data or information)) and (remot\$4 with (control\$4 or operation)) ) and (((workstation or host) and server and (sensor or actuator)) and ((configu\$7 or control\$4 or task or command) near2 (data or information)) and (heartbeat or (heart near beat)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:09

-	132	(get near2 http) and (post near2 http)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:10
-	55	((get near2 http) and (post near2 http)) and workstation and server and device	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:10
-	246	((sensor or actuator or device) near5 (send\$4 or transmit\$4) near4 (request or message)) same (server near4 (configu\$7 or control\$4 or task or command))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:15
-	50	((sensor or actuator or device) near5 (send\$4 or transmit\$4) near4 (request or message)) same (server near4 (configu\$7 or control\$4 or task or command) near2 (data or information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:43
-	0	(workstation adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 (data or information) adj5 server)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 12:08
-	6	(workstation adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 server)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 12:58
-	0	((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) ) with workstation	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 12:58
-	57	((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:04
-	58239	(remot\$4 with configu\$7 with netwok\$3 (device or node)) same server	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:27
-	96	((remot\$4 with configu\$7 with netwok\$3 (device or node)) same server ) and ((node or device) near4 (request or ask) near4 configu\$7 near4 (data or information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:07
-	56	((remot\$4 with configu\$7 with netwok\$3 (device or node)) same server ) and ((node or device) near3 (request or ask) near3 configu\$7 near3 (data or information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:19
-	50	((remot\$4 with configu\$7 with netwok\$3 (device or node)) same server ) and ((node or device) near3 (Retriev\$4) near3 configu\$7 near3 (data or information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:24
-	91	(remot\$4 near4 control\$4 near4 (device or node or peripheral or sensor or actuator)) and (server with (queue or buffer or fifo or list) with (request or task or command or instruction))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:54
-	31	((remot\$4 near4 control\$4 near4 (device or node or peripheral or sensor or actuator)) and (server with (queue or buffer or fifo or list) with (request or task or command or instruction)) ) and ((Host or workstation or client) near4 (transfer\$5 or transmit\$5 or send\$4) near4 (request or task or command or instruction))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 14:06

-	5	((remot\$4 near4 control\$4 near4 (device or node or peripheral or sensor or actuator)) and (server with (queue or buffer or fifo or list) with (request or task or command or instruction)) ) and ((Host or workstation) near4 (transfer\$5 or transmit\$5 or send\$4) near4 (request or task or command or instruction))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 14:06
---	---	--	--	------------------